


Luminaire

Code 1751030A
Name LA PETITE tavolo nero

Measurem.

Code FTS1503246
Name LA PETITE tavolo nero

Luminaire Flux	325.82 lm	Luminaire Power	6.00 W	Efficacy	54.30 lm/W	Efficiency	65.29%
Lamps Flux	499.00 lm	Maximum value	206.42 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	190 mm 188 mm	Height Height	367 mm 0 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.027759 m2 0.000000 m2 0.000000 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.000000 m2 0.000000 m2 0.006716 m2	
Coordinate system Date Measurement Distance		CG 28-09-2015 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Asymmetrical 180 499.00 lm	
LAMP. LED 6W E14 2700K FROST P40							
C.I.E. F UTE	48 79 96 85 65 0.56 E + 0.10 T			D DIN 5040 B NBN		B31 BZ 4	



Luminaire

Code 1751030A
Name LA PETITE tavolo nero

Measurerm.


Code FTS1503246
Name LA PETITE tavolo nero

Luminaire Flux	325.82 lm	Luminaire Power	6.00 W	Efficacy	54.30 lm/W	Efficiency	65.29%
Lamps Flux	499.00 lm	Maximum value	206.42 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical
Round Luminaire		Diam.	190 mm	Height	367 mm		
Round Luminous Area		Diam.	188 mm	Height	0 mm		
Horizontal Luminous Area	0.027759 m2			Emitting area on Plane 180°	0.000000 m2		
Emitting area on Plane 0°	0.000000 m2			Emitting area on Plane 270°	0.000000 m2		
Emitting area on Plane 90°	0.000000 m2			Glare area at 76°	0.006716 m2		
Coordinate system	CG			Symmetry Type	Asymmetrical		
Date	28-09-2015			Maximum Gamma Angle	180		
Measurement Distance	0.00			Measurement Flux	499.00 lm		
LAMP. LED 6W E14 2700K FROST P40							
C.I.E.	48 79 96 85 65			D DIN 5040	B31		
F UTE	0.56 E + 0.10 T			B NBN	BZ 4		

Width at 50.00 % of Max Intensity

H[m]	1.00	2.00	3.00	4.00	5.00	H[m]	1.00	2.00	3.00	4.00	5.00
OA	1.35	2.69	4.04	5.39	6.73	OC	1.35	2.69	4.04	5.39	6.73
OB	1.35	2.69	4.04	5.39	6.73	OD	1.35	2.69	4.04	5.39	6.73

	Luminous Intensities [cd/klm]									
	0	5	15	25	35	45	55	65	75	85
OA	103.00	102.42	97.86	89.31	77.71	64.02	49.05	33.36	17.85	4.88
OB	103.00	102.42	97.86	89.31	77.71	64.02	49.05	33.36	17.85	4.88
OC	103.00	102.42	97.86	89.31	77.71	64.02	49.05	33.36	17.85	4.88
OD	103.00	102.42	97.86	89.31	77.71	64.02	49.05	33.36	17.85	4.88



H[m]	D[m]	Max lux	Med lux	Alpha=53.4°+53.4°	G=0.0
1.00	2.69	103	28		
2.00	5.39	26	7		
3.00	8.08	11	3		
4.00	10.77	6	2		
5.00	13.47	4	1		

H[m]	D[m]	Max lux	Med lux	Beta=53.4°+53.4°	G=0.0
1.00	2.69	103	28		
2.00	5.39	26	7		
3.00	8.08	11	3		
4.00	10.77	6	2		
5.00	13.47	4	1		

Luminaire

Code 1751030A
Name LA PETITE tavolo nero

Measurement

Code FTS1503246
Name LA PETITE tavolo nero

Luminaire Flux	325.82 lm	Luminaire Power	6.00 W	Efficacy	54.30 lm/W	Efficiency	65.29%
Lamps Flux	499.00 lm	Maximum value	206.42 cd/klm	Position	C=0.00 G=0.00	CG	Asymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	15.4	16.6	15.9	17.0	17.6	15.4	16.6	15.9	17.0	17.6
x=2H y=3H	17.0	18.0	17.5	18.5	19.1	17.0	18.0	17.5	18.5	19.1
x=2H y=4H	17.6	18.5	18.2	19.1	19.7	17.6	18.5	18.2	19.1	19.7
x=2H y=6H	18.0	18.9	18.6	19.5	20.1	18.0	18.9	18.6	19.5	20.1
x=2H y=8H	18.2	19.0	18.8	19.6	20.2	18.2	19.0	18.8	19.6	20.2
x=2H y=12H	18.3	19.1	18.9	19.7	20.3	18.3	19.1	18.9	19.7	20.3
x=4H y=2H	16.1	17.1	16.7	17.6	18.2	16.1	17.1	16.7	17.6	18.2
x=4H y=3H	17.8	18.7	18.4	19.2	19.8	17.8	18.7	18.4	19.2	19.8
x=4H y=4H	18.6	19.3	19.2	19.9	20.5	18.6	19.3	19.2	19.9	20.5
x=4H y=6H	19.2	19.8	19.8	20.4	21.1	19.2	19.8	19.8	20.4	21.1
x=4H y=8H	19.3	19.9	20.0	20.5	21.3	19.3	19.9	20.0	20.5	21.3
x=4H y=12H	19.5	20.0	20.2	20.7	21.4	19.5	20.0	20.2	20.7	21.4
x=8H y=4H	18.9	19.4	19.5	20.1	20.8	18.9	19.4	19.5	20.1	20.8
x=8H y=6H	19.6	20.0	20.3	20.7	21.4	19.6	20.0	20.3	20.7	21.4
x=8H y=8H	19.9	20.3	20.6	20.9	21.7	19.9	20.3	20.6	20.9	21.7
x=8H y=12H	20.1	20.4	20.8	21.1	21.9	20.1	20.4	20.8	21.1	21.9
x=12H y=4H	18.9	19.4	19.6	20.1	20.8	18.9	19.4	19.6	20.1	20.8
x=12H y=6H	19.7	20.1	20.3	20.7	21.5	19.7	20.1	20.3	20.7	21.5
x=12H y=8H	20.0	20.3	20.7	21.0	21.8	20.0	20.3	20.7	21.0	21.8