

Luminaire


Code 1700010A
Name METEORITE 35 tavolo

Measurem.

Code FTS1400358
Name METEORITE 35 tavolo

Luminaire Flux	1722.75 lm	Luminaire Power	150.00 W	Efficacy	11.48 lm/W	Efficiency	71.78%
Lamps Flux	2400.00 lm	Maximum value	63.68 cd/klm	Position	C=0.00 G=71.00	CG	Rotosymmetrical
Round Luminaire Round Luminous Area		Diam. Diam.	360 mm 360 mm	Height Height	300 mm 360 mm		
Horizontal Luminous Area Emitting area on Plane 0° Emitting area on Plane 90°		0.101788 m2 0.129600 m2 0.129600 m2		Emitting area on Plane 180° Emitting area on Plane 270° Glare area at 76°		0.129600 m2 0.129600 m2 0.150375 m2	
Coordinate system Date Measurement Distance		CG 22-07-2014 0.00		Symmetry Type Maximum Gamma Angle Measurement Flux		Rotosymmetrical 180 2400.00 lm	
OSRAM							
C.I.E. F UTE	21 47 74 52 72 0.38 J + 0.34 T		D DIN 5040 B NBN	C11 BZ 9 / 2.5 / BZ 8 / 3 / BZ 9			

Diam=360mm




Semipiani C

180.0 ——— 0.0

ULOR 34.19 %

DLOR 37.59 %

RN 47.63 %



Luminaire

Code 1700010A
Name METEORITE 35 tavolo

Measurem.

Code FTS1400358
Name METEORITE 35 tavolo

Luminaire Flux	1722.75 lm	Luminaire Power	150.00 W	Efficacy	11.48 lm/W	Efficiency	71.78%
Lamps Flux	2400.00 lm	Maximum value	63.68 cd/klm	Position	C=0.00 G=71.00	CG	Rotosymmetrical
Round Luminaire		Diam.	360 mm	Height	300 mm		
Round Luminous Area		Diam.	360 mm	Height	360 mm		
Horizontal Luminous Area		0.101788 m2		Emitting area on Plane 180°		0.129600 m2	
Emitting area on Plane 0°		0.129600 m2		Emitting area on Plane 270°		0.129600 m2	
Emitting area on Plane 90°		0.129600 m2		Glare area at 76°		0.150375 m2	
Coordinate system		CG		Symmetry Type		Rotosymmetrical	
Date		22-07-2014		Maximum Gamma Angle		180	
Measurement Distance		0.00		Measurement Flux		2400.00 lm	
OSRAM							
C.I.E.	21 47 74 52 72			D DIN 5040	C11		
F UTE	0.38 J + 0.34 T			B NBN	BZ 9 / 2.5 / BZ 8 / 3 / BZ 9		

Apertura a destra non trovata, gamma =71

Apertura a destra non trovata, gamma =71

Luminaire

Code 1700010A
Name METEORITE 35 tavolo

Measurement

Code FTS1400358
Name METEORITE 35 tavolo

Luminaire Flux	1722.75 lm	Luminaire Power	150.00 W	Efficacy	11.48 lm/W	Efficiency	71.78%
Lamps Flux	2400.00 lm	Maximum value	63.68 cd/klm	Position	C=0.00 G=71.00	CG	Rotosymmetrical

UGR
S = 0.250

Reflectancies										
Ceiling/Cavity	0.7	0.7	0.5	0.5	0.3	0.7	0.7	0.5	0.5	0.3
Walls	0.5	0.3	0.5	0.3	0.3	0.5	0.3	0.5	0.3	0.3
WorkingPlane	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2	0.2
RoomDimensions	ViewedCrosswise					ViewedEndwise				
x=2H y=2H	8.9	9.9	9.7	10.7	11.9	8.9	9.9	9.7	10.7	11.9
x=2H y=3H	11.5	12.4	12.4	13.3	14.5	11.5	12.4	12.4	13.3	14.5
x=2H y=4H	12.8	13.7	13.8	14.6	15.8	12.8	13.7	13.8	14.6	15.8
x=2H y=6H	14.2	15.0	15.1	15.9	17.2	14.2	15.0	15.1	15.9	17.2
x=2H y=8H	14.9	15.6	15.8	16.6	17.8	14.9	15.6	15.8	16.6	17.8
x=2H y=12H	15.5	16.2	16.4	17.2	18.4	15.5	16.2	16.4	17.2	18.4
x=4H y=2H	9.8	10.7	10.7	11.6	12.8	9.8	10.7	10.7	11.6	12.8
x=4H y=3H	12.6	13.3	13.5	14.3	15.5	12.6	13.3	13.5	14.3	15.5
x=4H y=4H	14.1	14.7	15.0	15.7	16.9	14.1	14.7	15.0	15.7	16.9
x=4H y=6H	15.6	16.2	16.5	17.1	18.4	15.6	16.2	16.5	17.1	18.4
x=4H y=8H	16.3	16.9	17.3	17.9	19.1	16.3	16.9	17.3	17.9	19.1
x=4H y=12H	17.1	17.6	18.0	18.6	19.9	17.1	17.6	18.0	18.6	19.9
x=8H y=4H	14.7	15.2	15.6	16.2	17.5	14.7	15.2	15.6	16.2	17.5
x=8H y=6H	16.4	16.8	17.4	17.9	19.2	16.4	16.8	17.4	17.9	19.2
x=8H y=8H	17.3	17.7	18.3	18.7	20.0	17.3	17.7	18.3	18.7	20.0
x=8H y=12H	18.2	18.6	19.2	19.6	20.9	18.2	18.6	19.2	19.6	20.9
x=12H y=4H	14.8	15.3	15.8	16.3	17.6	14.8	15.3	15.8	16.3	17.6
x=12H y=6H	16.6	17.0	17.6	18.0	19.4	16.6	17.0	17.6	18.0	19.4
x=12H y=8H	17.6	18.0	18.6	19.0	20.3	17.6	18.0	18.6	19.0	20.3